

ORIGINAL NOVAFON SOUND WAVE DEVICES

ORIGINAL NOVAFON SCHALLWELLENGERÄTE

LITERATURE / LITERATURVERZEICHNIS



GENERAL NEUROLOGY / NEUROLOGIE

Marconi B., Filippi G.M., Koch G., Giacobbe V., Pecchioli C., Versace V., Camerota F., Saraceni V.M. & Caltagirone C. (2011). Long-term effects on cortical excitability and motor recovery induced by repeated muscle vibration in chronic stroke patients. **Neurorehabilitation and Neural Repair.** 25(1):48-60.

Murillo N., Valls-Sole J., Vidal J., Opisso E., Medina J. & Kumru H. (2014). Focal vibration in neurorehabilitation. **European Journal of Physical and Rehabilitation Medicine.** 50:231-42.

Tavernese E., Paoloni M., Mangone M., Mandic V., Sale P., Franceschini M. & Santilli V. (2013). Segmental muscle vibration improves reaching movement in patients with chronic stroke. A randomized controlled trial. **NeuroRehabilitation.** 32(3):591-9.

SPASTICITY / SPASTIK

Caliandro P., Celletti C., Padua L., Minciotti I., Russo G., Granata G., La Torre G., Granieri E. & Camerota F. (2012). Focal muscle vibration in the treatment of upper limb spasticity: a pilot randomized controlled trial in patients with chronic stroke. **Archives of Physical Medicine and Rehabilitation.** 93(9):1656-61.

Casale R., Damiani C., Maestri R., Fundaro C., Chimento P. & Foti C. (2014). Localized 100 Hz vibration improves function and reduces upper limb spasticity: a double-blind controlled study. **European Journal of Physical and Rehabilitation Medicine.** 50:495-504.

Hagbarth K.E. & Eklund G. (1968) The effects of muscle vibration in spasticity, rigidity, and cerebellar disorders. **Journal of Neurology, Neurosurgery & Psychiatry.** 31(3):207-13.

Liepert J. & Binder C. (2010). Vibration-induced effects in stroke patients with spastic hemiparesis--a pilot study. **Restorative Neurology and Neuroscience.** 28(6):729-35.

Lin H.N., Nagaoka M., Hayashi Y. & Hatori K. (2012). Effect of vibration stimulation on dysbasia of spastic paraplegia in neuromyelitis optica: a possible example of neuronal plasticity. **BMJ Case Reports.** 10.1136/bcr-2012-006793.

Murillo N., Kumru H., Vidal-Samso J., Benito J., Medina J., Navarro X. & Valls-Sole J. (2010). Decrease of spasticity with muscle vibration in patients with spinal cord injury. **Clinical Neurophysiology.** 122(6):1183-9.

Murillo N., Valls-Sole J., Vidal J., Opisso E., Medina J. & Kumru H. (2014). Focal vibration in neurorehabilitation. **European Journal of Physical and Rehabilitation Medicine.** 50:231-42.

Noma T., Matsumoto S., Shimodozo M., Etoh S. & Kawahira K. (2012). Anti-spastic effects of the direct application of vibratory stimuli to the spastic muscles of hemiplegic limbs in post-stroke patients: a proof-of-principles study. **Journal of Rehabilitation Medicine.** 44:325-330.

Paolini M., Giovannelli M., Mangone M., Leonardi L., Tavernese E., Pangrazio di E., Bernetti A., Santilli V. & Pozilli C. (2013). Does giving segmental muscle vibration alter the response to botulinum toxin injections in the treatment of spasticity in people with multiple sclerosis? A single-blind randomized controlled trial. **Clinical Rehabilitation.** 27(9):803-812.

Paoloni M., Mangone M., Scettri P., Procaccianti R., Cometa A. & Santilli V. (2010). Segmental muscle vibration improves walking in chronic stroke patients with foot drop: a randomized controlled trial. **Neurorehabilitation and Neural Repair.** 24(3):254-62.

CEREBRAL PALSY / INFANTILE ZEREBRALPARESE

Celletti C. & Camerota F. (2011). Preliminary evidence of focal muscle vibration effects on spasticity due to cerebral palsy in a small sample of Italian children. *Clinical Therapeutics*. 162(5):125-128.

Eklund G. & Steen M. (1969). Muscle vibration therapy in children with cerebral palsy. *Scandinavian Journal of Rehabilitation Medicine*. 1(1):35-37.

Katusic A., Alimovic S. & Mejaski-Bosnjak V. (2013). The effect of vibration therapy on spasticity and motor function in children with cerebral palsy: a randomized controlled trial. *NeuroRehabilitation*. 32(1):1-8.

NEGLECT / NEGLECT

Johannsen L., Ackermann H. & Karnath H.O. (2003). Lasting amelioration of spatial neglect by treatment with neck muscle vibration even without concurrent training. *Journal of Rehabilitation Medicine*. 35(6):249-53.

Kamada K., Shimodozono M., Hamada H. & Kawahira K. (2011). Effects of 5 minutes of neck-muscle vibration immediately before occupational therapy on unilateral spatial neglect. *Disability and Rehabilitation*. 33(23-24):2322-2328.

Karnath H.O., Christ K., Hartje W. (1993). Decrease of contralateral neglect by neck muscle vibration and spatial orientation of trunk midline. *Brain*. 116:383–96.

Karnath H.O., Reich E., Rorden C., et al. (2002). The perception of body orientation after neck-proprioceptive stimulation: effects of time and of visual cueing. *Experimental Brain Research*. 143:350–8.

Murillo N., Valls-Sole J., Vidal J., Opisso E., Medina J. & Kumru H. (2014). Focal vibration in neurorehabilitation. *European Journal of Physical and Rehabilitation Medicine*. 50:231-42.

Schindler I., Kerkhoff G., Karnath H.O., Keller I. & Goldenberg G. (2002). Neck muscle vibration induces lasting recovery in spatial neglect. *Journal of Neurology, Neurosurgery and Psychiatry*. 73(4):412-9.

PARKINSON'S DISEASE / MORBUS PARKINSON

Jöbges E.M., Elek J., Rollnik J.D., Dengler R. & Wolf W. (2002). Vibratory proprioceptive stimulation affects Parkinsonian tremor. *Parkinsonism & Related Disorders*. 8:171-176.

King L., Almeida Q.J. & Ahonen H. (2009). Short-term effects of vibration therapy on motor impairments in Parkinson's disease. *NeuroRehabilitation*. 25:297-306.

Valkovic P., Krafczyk S., Saling M., Benetin J. & Bötzel K. (2006). Postural reactions to neck vibration in Parkinson's disease. *Movement Disorders*. 21(1):59-65.

SWALLOWING / SCHLUCKSTÖRUNG

Gow D., Hobson A.R., Furlong P. & Hamdy, S. (2004). Characterising the central mechanisms of sensory modulation in human swallowing motor cortex. *Clinical Neurophysiology*. 115: 2382–2390.

Lowell S. Y., Poletto C. J., Knorr-Chung B. R., Reynolds R. C., Simonyan K., & Ludlow C. L. (2008). Sensory stimulation activates both motor and sensory components of the swallowing system. *Neuroimage*. 42(1), 285-295.

de Lama Lazzara G., Cathy Lazarus C., Logemann J. A. (1986). Impact of thermal stimulation on the triggering of the swallowing reflex. *Dysphagia*. 1(2): 73-77.

Steele C. M. & Miller A. J. (2010). Sensory Input Pathways and Mechanisms in Swallowing: A Review. *Dysphagia*. 25(4): 323–333.

PAIN / SCHMERZ

Guieu R., Tardy-Gervet M.F. & Giraud P. (1993). Substance P-like immunoreactivity and analgesic effects of vibratory stimulation on patients suffering from chronic pain. *Canadian Journal of Neurological Sciences*. 20(2):138-41.

Lundeberg T., Nordemar R. & Ottoson D. (1984a). Pain alleviation by vibratory stimulation. *Pain*. 20(1):25-44.

Lundeberg T. (1984b). Long-term results of vibratory stimulation as a pain relieving measure for chronic pain. *Pain*. 20(1):13-23.

Lundeberg T. (1984c). The pain suppressive effect of vibratory stimulation and transcutaneous electrical nerve stimulation (TENS) as compared to aspirin. *Brain Research*. 294(2):201-9.

Lundeberg T. (1985b). Relief of pain from a phantom limb by peripheral stimulation. *Journal of Neurology*. 232(2):79-82.

Lundeberg T., Ekblom A. & Hansson P. (1985c). Relief of sinus pain by vibratory stimulation. *Ear Nose & Throat Journal*. 64(4):163-7.

Lundeberg T., Abrahamsson P., Bondesson L. & Haker E. (1987). Vibratory stimulation compared to placebo in alleviation of pain. *Scandinavian Journal of Rehabilitation Medicine*. 19(4):153-8.

Lundeberg T., Abrahamsson P., Bondesson L. & Haker E. (1988). Effect of vibratory stimulation on experimental and clinical pain. *Scandinavian Journal of Rehabilitation Medicine*. 20(4):149-59.

Ekblom A. & Hansson P. (1985b). Extrasegmental transcutaneous electrical nerve stimulation and mechanical vibratory stimulation as compared to placebo for the relief of acute oro-facial pain. *Pain*. 23(3):223-9.

Peltz E, Seifert F, Decol R, Dorfler A, Schwab S & Maihofner C. (2011). Functional connectivity of the human insular cortex during noxious and innocuous thermal stimulation. *Neuroimage*. 54(2):1324–35.

Salter M. W. & Henry J. L. (1990a). Differential responses of nociceptive vs. non-nociceptive spinal dorsal horn neurones to cutaneously applied vibration in the cat. *Pain*. 40(3):311–22.

Salter M. W. & Henry J. L. (1990b). Physiological characteristics of responses of wide dynamic range spinal neurones to cutaneously applied vibration in the cat. *Brain Research*. 507(1):69–84.

Staud R., Robinson M.E., Goldman C.T., Price D.D. (2011). Attenuation of experimental pain by vibro-tactile stimulation in patients with chronic local or widespread musculoskeletal pain. *European Journal of Pain*. 15(8):836-42.

Tommerdahl M, Delemos K.A, Whitsel B.L, Favorov O.V. & Metz C.B. (1999a). Response of anterior parietal cortex to cutaneous flutter versus vibration. *Journal of Neurophysiology*. 82(1):16–33.

Tommerdahl M, Favorov OV, Whitsel BL. (2005). Effects of high-frequency skin stimulation on SI cortex: mechanisms and functional implications. *Somatosensory & Motor Research*. 22(3):151–69.

OTHER / SONSTIGE

Binks A.P., Bloch-Salisbury E., Banzett R.B. & Schwartzstein R.M. (2001). Oscillation of the lung by chest-wall vibration. *Respiration Physiology*. 126(3):245-9.

Brunetti O., Botti FM., Roscini M., Brunetti A., Panichi R., Filippi G.M., Biscarini A. & Pettorossi V.E. (2012). Focal vibration of quadriceps muscle enhances leg power and decreases knee joint laxity in female volleyball players. *Journal of Sports Medicine and Physical Fitness*. 52(6):596-605.

Brunetti O., Filippi GM., Lorenzini M., Liti A., Panichi R., Roscini M., Pettorossi V.E. & Cerulli G. (2006). Improvement of posture stability by vibratory stimulation following anterior cruciate ligament reconstruction. *Knee Surgery, Sports Traumatology, Arthroscopy*. 14(11):1180-7.

Burke D., Hagbarth K.E., Lofstedt L. & Wallin B.G. (1976). The response of human muscle spindle endings to vibration during isometric contraction. *Journal of Physiology*. 261(3):695-711.

Eklund G. & Hagbarth K.E. (1966). Normal variability of tonic vibration reflexes in man. *Experimental Neurology*. 16:80-92.

Fattorini L., Ferraresi A., Rodio A., Azzena G.B. & Filippi G.M. (2006). Motor performance changes induced by muscle vibration. *European Journal of Applied Physiology*. 98(1):79-87.

Filippi G.M., Brunetti O., Botti F.M., Panichi R., Roscini M., Camerota F., Cesari M. & Pettorossi V.E. (2009). Improvement of stance control and muscle performance induced by focal muscle vibration in young-elderly women: a randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*. 90(12):2019-25.

Marconi B., Filippi G.M., Koch G., Pecchioli C., Salerno S., Don R., Camerota F., Saraceni V.M. & Caltagirone C. (2008). Long-term effects on motor cortical excitability induced by repeated muscle vibration during contraction in healthy subjects. *Journal of the Neurological Sciences*. 275(1-2):51-9.

McMahon C. (1981). Rationale for the use of vibration in management of tactile defensive patients. *Australian Journal of Physiotherapy*. 27(3):75-80.

Oliveri D.J., Lynn K. & Hong CZ. (1989). Increased skin temperature after vibratory stimulation. *American Journal of Physical Medicine & Rehabilitation*. 68(2):81-5.

Rittweger J. (2010). Vibration as an exercise modality: how it may work, and what its potential might be. *European Journal of Applied Physiology*. 108(5):877-904.